



Patent Search

Patents **1 - 10** of **25** on **icons emotions users input**. (0.06 seconds)Did you mean: **icons emotions user's input**

Graphical user interface to communicate attitude or emotion to a computer program

US Pat. 5977968 - Filed Mar 14, 1997 - Mindmeld Multimedia Inc.

Icons are typically two dimensional and display information about aspects ...
game does not consider other aspects of the user's personality or **emotions**. ...

Method and system for selecting an emotional appearance and prosody for a graphical character

US Pat. 6064383 - Filed Oct 4, 1996 - Microsoft Corporation

When the user again uses the **input** device relative to the user interface ...
inner circular area 44 that is surrounded by **icons** 46 for associated **emotions**. ...

Systems and methods for interfacing with a user in instant messaging

US Pat. 6983305 - Filed May 30, 2001 - Microsoft Corporation

Commands for changing the appearance of **icons**, such as icon 401 may be included in
... the method reducing the amount of **input** required by the **users**, ...

Emoticon **input** method and apparatus

US Pat. 6987991 - Filed Aug 17, 2001 - Wildseed Ltd.

Further, wireless mobile phone 100 is endowed with emotion **input** logic (not ...
set as well as "special" characters, symbols, glyphs, **icons** and the like. ...

Video indexing based on viewers' behavior and emotion feedback

US Pat. 6585521 - Filed Dec 21, 2001 - Hewlett-Packard Development Company, L.P.

The video display device may display the video indices as labeled **icons** for ...
on a server connected to the network 160, to be retrieved by other **users**. ...

Edit device, edit method, and recorded medium

US Pat. 7063591 - Filed Dec 28, 2000 - Sony Corporation

1) and the own action 14 of the pet robot 1; **icons** 12 i to 125 corresponding to
the action and movement of the pet robot 1 in response to the **icons** 12j to ...

Modeling emotion and personality in a computer user interface

US Pat. 6185534 - Filed Mar 23, 1998 - Microsoft Corporation

Research has shown that **users** respond emotionally to their computers.
Emotion and personality are of interest to us primarily because of the ways in ...

Modeling a user's emotion and personality in a computer user interface

US Pat. 5987415 - Filed Jun 30, 1998 - Microsoft Corporation

Technical Field Within the human-computer interaction community there a growing
consensus that traditional WIMP (windows, **icons**, mouse, and pointer) ...

Modeling and projecting emotion and personality from a computer user interface

US Pat. 6212502 - Filed Jun 30, 1998 - Microsoft Corporation

Technical Field Within the human-computer interaction community there a growing consensus that traditional WIMP (windows, **icons**, mouse, and pointer) ...

Health monitoring system

US Pat. 6440069 - Filed Aug 27, 2001 - Brigham & Women's Hospital

As with each of the data **input** displays, the display of FIG. ... , two of the **icons** corresponding to that medication are displayed above that time on the ...

Google 

Result Page: [1](#) [2](#) [3](#) [Next](#)

icons emotions users input

[Search Patents](#)

[Google Patent Search Help](#) | [Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patent Search](#)

©2007 Google



Patent Search

Patents 11 - 20 of 25 on icons emotions users input. (0.16 seconds)

Did you mean: **icons emotions user's input**

Health monitoring system

US Pat. 6640134 - Filed Aug 27, 2001 - Brigham and Women's Hospital
The "mood" screen allows the patient to **input** his or her relative level of different **emotions**. Several of these are depicted on the screen 220 of FIG. ...

Health monitoring system

US Pat. 6282441 - Filed Nov 23, 1999 - Brigham & Women's Hospital
The "mood" screen allows the patient to **input** his or her relative level of different **emotions**. Several of these are depicted on the screen 220 of FIG. ...

Health monitoring system

US Pat. 6095985 - Filed Dec 30, 1997 - Brigham and Women's Hospital
16 includes prompts to the patient for the data to be **input**. ... two of the **icons** corresponding to that medication are displayed above that time on ...

Health monitoring system

US Pat. 5778882 - Filed Feb 24, 1995 - Brigham and Women's Hospital
20A can be used **emotions** allow the patient to select the relative severity of as the last screen of an data **input** program, so that the patient the emotion ...

Chinese character handwriting recognition system

US Pat. 6970599 - Filed Jul 25, 2002 - America Online, Inc.
2 is a flow diagram illustrating a method for **input**- ated text. ting handwritten ... 4F is a pictorial diagram illustrating the Stroke **users** learn stroke ...

Intelligent sociable computer systems

US Pat. 6651044 - Filed Apr 27, 1999
... " at the DOS **input** prompt. If a world is open, and Quit is selected and any 25 changes have been made to the already-opened world, a dialogue box will ...

Interactive virtual character doll

US Pat. 6554679 - Filed Jan 29, 1999 - Playmates Toys, Inc.
Input means are provided to allow the player to interact with the doll. ... to the player the doll's actions, thoughts, feelings and **emotions**, for example. ...

System and method for multiplexing media information over a network using reduced communications resources and prior knowledge/experience of a called or calling party

US Pat. 7003040 - Filed Sep 24, 2002 - LG Electronics Inc.
60 When displayed based on control information **input** the user, the avatar sent by the transmitting user may be ignored and replaced with an avatar of the ...

System, method and article of manufacture for a tuned user application experience

US Pat. 6195651 - Filed Nov 19, 1998 - Andersen Consulting Properties BV
... querY and store information in the database, tile **input** provides for efficient,
intuitive, and emotion- 10.ally rewarding interaction with the system. ...

Method and system for providing application launch by identifying a user via a digital camera,
utilizing an edge detection algorithm

US Pat. 6922488 - Filed Feb 16, 2001 - International Business Machines Corporation
Other developers have examined using a human emotion as **input** to a ... among household
members or members of a small-sized organiza-tion (ie, **users**). ...



Result Page: [Previous](#) [1](#) [2](#) [3](#) [Next](#)

icons emotions users input

Search Patents

[Google Patent Search Help](#) | [Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patent Search](#)

©2007 Google



Patent Search

Patents 1 - 10 of 711 on **events actions condition analysis**. (0.57 seconds)

Method and apparatus for automatic abnormal **events** monitor in operating plants

US Pat. 4060716 - Filed May 19, 1975 - Rockwell International Corporation

The historical data would then be used to **condition** is present and indicating as the action to be perform a trend **analysis** by taking the averaged value of ...

Rack equipment environmental **condition** adjustment system and method

US Pat. 7039539 - Filed Oct 7, 2003 - Hewlett-Packard Development Company, L.P.

The environmental policy **analysis** module 222 can determine appropriate **actions** for implementing the environmental **condition** objectives. ...

Apparatus and method for monitoring engine conditions, using magnetostrictive sensors

US Pat. 6212944 - Filed Feb 28, 1997 - Southwest Research Institute

5 for a more detailed description of the **analysis** of anomalous **events** and ...
Of course, a number of mechanical **actions** that do not normally occur in an ...

Reactive detection of conditions of interest in distributed systems

US Pat. 6629139 - Filed Sep 1, 1999 - International Business Machines Corporation

These components package the information as **events**, then sends them to ...
when a **condition** of interest is detected, an appropriate set of **actions** are ...

Method and system to construct action coordination profiles

US Pat. 6516288 - Filed Oct 10, 2001

Boolean operators can be applied to **events** defined with **analysis** parameters to ... that is more abstract and conceptual— namely the way **actions** interact. ...

Constructing method of organization activity database, **analysis** sheet used therein, and organization activity management system

US Pat. 6098047 - Filed Jul 21, 1997 - Fujitsu Limited

(3) On the **condition** that the work name is a simple sentence, ... phase F1 is subjected to domain **analysis** in phase F2-1 for analyzing the seven concepts ...

Method for simulating operation of an automated banking machine system

US Pat. 6768975 - Filed Oct 1, 1999 - Diebold, Incorporated

In this case the fault **condition** is of the type that warrants taking the ATM out of service. ... Such problem **actions** records include data values which are ...

Load **analysis** system for fault detection

US Pat. 5600526 - Filed Oct 15, 1993 - The Texas A & M University System

Three important elements of this load pattern **analysis** scheme are detecting ...
This conductor breakage initiates a sequence of **events** in which there is a ...

Table-based error log **analysis**

US Pat. 6598179 - Filed Mar 31, 2000 - International Business Machines Corporation

An event set is a list containing event identifiers and the minimum number of

events needed for an associated fault **condition** to be found true. ...

Method and system for analyzing test coverage

US Pat. 6691079 - Filed May 28, 1999

The upper one is the triggering **condition** of this event, and 5 the lower ...

Therefore, we use the statement tree to retain the complex **actions** of each ...

Goooooooooooooogle ►

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **Next**

events actions condition analysis

Search Patents

[Google Patent Search Help](#) | [Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patent Search](#)

©2007 Google



☐ Search Results

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

Results for "(((emotion<in>metadata) <and> (community<in>metadata))<and> (users<in>me

☒ e-mail

Your search matched 2 of 1489021 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)

[New Search](#)

Modify Search

((((emotion<in>metadata) <and> (community<in>metadata))<and> (users<in>me

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)

☐ 1. Modeling, simulation, and visualization capabilities for complex local/reg government decision support

Orr, W.W.; Ward, T.D.; Miller, R.M.P.;

Systems, Man, and Cybernetics, 1997. 'Computational Cybernetics and Simul: [International Conference on](#)

Volume 2, 12-15 Oct. 1997 Page(s):1698 - 1703 vol.2

Digital Object Identifier 10.1109/ICSMC.1997.638260

[AbstractPlus](#) | Full Text: [PDF](#)(408 KB) IEEE CNF

[Rights and Permissions](#)

☐ 2. Emotional awareness in collaborative systems

Garcia, O.; Favela, J.; Machorro, R.;

[String Processing and Information Retrieval Symposium, 1999 and Internation: Groupware](#)

22-24 Sept. 1999 Page(s):296 - 303

Digital Object Identifier 10.1109/SPIRE.1999.796607

[AbstractPlus](#) | Full Text: [PDF](#)(152 KB) IEEE CNF

[Rights and Permissions](#)



☐ Search Results

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

Results for "(((emotion<in>metadata) <and> (map<in>metadata))<and> (analysis<in>..."



Your search matched 5 of 1489021 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)

[New Search](#)

Modify Search

(((emotion<in>metadata) <and> (map<in>metadata))<and> (analysis<in>metada

[Search](#)

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

[view selected items](#)

[Select All](#) [Deselect All](#)

- ☐ 1. **Real-time speech-driven face animation with expressions using neural ne**
Pengyu Hong; Zhen Wen; Huang, T.S.;
[Neural Networks, IEEE Transactions on](#)
Volume 13, Issue 4, July 2002 Page(s):916 - 927
Digital Object Identifier 10.1109/TNN.2002.1021892
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(364 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 2. **Emotion space for analysis and synthesis of facial expression**
Morishima, S.; Harashima, H.;
[Robot and Human Communication, 1993. Proceedings., 2nd IEEE Internation](#)
3-5 Nov. 1993 Page(s):188 - 193
Digital Object Identifier 10.1109/ROMAN.1993.367724
[AbstractPlus](#) | Full Text: [PDF](#)(472 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **Classification of facial expressions using self-organizing maps**
Katoh, A.; Fukui, Y.;
[Engineering in Medicine and Biology Society, 1998. Proceedings of the 20th A](#)
[International Conference of the IEEE](#)
Volume 2, 29 Oct.-1 Nov. 1998 Page(s):986 - 989 vol.2
Digital Object Identifier 10.1109/IEMBS.1998.745614
[AbstractPlus](#) | Full Text: [PDF](#)(444 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. **KANSEI analysis of dance performance**
Camurri, A.; Hashimoto, S.; Suzuki, K.; Trocca, R.;
[Systems, Man, and Cybernetics, 1999. IEEE SMC '99 Conference Proceeding](#)
[International Conference on](#)
Volume 4, 12-15 Oct. 1999 Page(s):327 - 332 vol.4
Digital Object Identifier 10.1109/ICSMC.1999.812422
[AbstractPlus](#) | Full Text: [PDF](#)(528 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 5. **Spectral normalization employing hidden Markov modeling of line spectr**
frequencies
Pellom, B.L.; Hansen, J.H.L.;
[Acoustics, Speech, and Signal Processing, 1997. ICASSP-97., 1997 IEEE Inte](#)

Conference on


Volume 2, 21-24 April 1997 Page(s):943 - 946 vol.2

Digital Object Identifier 10.1109/ICASSP.1997.596092

AbstractPlus | Full Text: PDF(384 KB) IEEE CNF

Rights and Permissions

Indexed by

 Inspec[®]

[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2006 IEEE –

☐ Search Results

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

Results for "(((emotion<in>metadata) <and> (generating<in>metadata))<and> (users&l..." ☐ e-mail

Your search matched 16 of 1489021 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)

[New Search](#)

Modify Search

(((emotion<in>metadata) <and> (generating<in>metadata))<and> (users<in>met

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)

- ☐ 1. **Construction of a dialog system with emotions for elderly persons by nei**
Ichimura, T.; Mera, K.; Yamashita, T.;
[Systems, Man, and Cybernetics, 2000 IEEE International Conference on](#)
Volume 5, 8-11 Oct. 2000 Page(s):3594 - 3599 vol.5
Digital Object Identifier 10.1109/ICSMC.2000.886567
[AbstractPlus](#) | Full Text: [PDF](#)(436 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **Techniques for modelling and training multimedia expressive talking hea**
Karunaratne, S.; Hong Yan;
[Circuits and Systems, 2001. ISCAS 2001. The 2001 IEEE International Sympo](#)
Volume 2, 6-9 May 2001 Page(s):453 - 456 vol. 2
Digital Object Identifier 10.1109/ISCAS.2001.921105
[AbstractPlus](#) | Full Text: [PDF](#)(652 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **Automatic generation method for spoken sentences by genetic programr**
application to emotion oriented dialog systems
Ichimura, T.; Mera, K.; Mackin, K.J.; Yamashita, T.; Yoshie, M.; Aizawa, T.;
[Systems, Man, and Cybernetics, 2001 IEEE International Conference on](#)
Volume 1, 7-10 Oct. 2001 Page(s):175 - 180 vol.1
Digital Object Identifier 10.1109/ICSMC.2001.969808
[AbstractPlus](#) | Full Text: [PDF](#)(484 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. **Sparse fitness evaluation for reducing user burden in interactive genetic**
Joo-Young Lee; Sung-Bae Cho;
[Fuzzy Systems Conference Proceedings, 1999. FUZZ-IEEE '99. 1999 IEEE In](#)
Volume 2, 22-25 Aug. 1999 Page(s):998 - 1003 vol.2
Digital Object Identifier 10.1109/FUZZY.1999.793088
[AbstractPlus](#) | Full Text: [PDF](#)(356 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 5. **Cooperative works for agent robot and human using robot vision based c**
knowledge, emotion and intention
Yamaguchi, T.; Mizuno, S.; Yoshida, T.; Hashimoto, T.;
[Systems, Man, and Cybernetics, 1999. IEEE SMC '99 Conference Proceeding](#)
[International Conference on](#)

Volume 2, 12-15 Oct. 1999 Page(s):987 - 992 vol.2
Digital Object Identifier 10.1109/ICSMC.1999.825397
[AbstractPlus](#) | [Full Text: PDF\(540 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **6. Queue-based agent communication architecture for intelligent human-like interfaces**
Kille, M.; Warwick, K.;
[Human Interfaces in Control Rooms, Cockpits and Command Centres, 2001. F](#)
[The Second International Conference on \(IEE Conf. Publ. No. 481\)](#)
19-21 June 2001 Page(s):206 - 211
[AbstractPlus](#) | [Full Text: PDF\(524 KB\)](#) [IET CNF](#)

- ☐ **7. Toward the creation of a new medium for the multimedia era**
Nakatsu, R.;
[Proceedings of the IEEE](#)
Volume 86, Issue 5, May 1998 Page(s):825 - 836
Digital Object Identifier 10.1109/5.664273
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(464 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)

- ☐ **8. InterActor: Speech-driven embodied interactive actor**
Watanabe, T.; Danbara, R.; Okubo, M.;
[Robot and Human Interactive Communication, 2002. Proceedings. 11th IEEE I](#)
[Workshop on](#)
25-27 Sept. 2002 Page(s):430 - 435
Digital Object Identifier 10.1109/ROMAN.2002.1045660
[AbstractPlus](#) | [Full Text: PDF\(483 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **9. Emotion-based planning evaluation method**
Mera, K.; Kawamoto, S.; Yamura-Takei, M.; Aizawa, T.;
[Knowledge-Based Intelligent Engineering Systems and Allied Technologies, 2\(](#)
[Fourth International Conference on](#)
Volume 2, 30 Aug.-1 Sept. 2000 Page(s):852 - 855 vol.2
Digital Object Identifier 10.1109/KES.2000.884180
[AbstractPlus](#) | [Full Text: PDF\(360 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **10. Face image analysis and synthesis for human-computer interaction**
Morishima, S.;
[Signal Processing Proceedings, 2000. WCCC-ICSP 2000. 5th International Cc](#)
Volume 2, 21-25 Aug. 2000 Page(s):1213 - 1220 vol.2
Digital Object Identifier 10.1109/ICOSP.2000.891767
[AbstractPlus](#) | [Full Text: PDF\(996 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **11. Emotionally expressive agents**
El-Nasr, M.S.; Ioerger, T.R.; Yen, J.; House, D.H.; Parke, F.I.;
[Computer Animation, 1999. Proceedings](#)
26-29 May 1999 Page(s):48 - 57
Digital Object Identifier 10.1109/CA.1999.781198
[AbstractPlus](#) | [Full Text: PDF\(180 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **12. Real-time facial interaction between human and 3D face robot agent**
Hara, F.; Kobayashi, H.;
[Robot and Human Communication, 1996., 5th IEEE International Workshop or](#)
11-14 Nov. 1996 Page(s):401 - 409

Digital Object Identifier 10.1109/ROMAN.1996.568870

[AbstractPlus](#) | Full Text: [PDF](#)(1316 KB) IEEE CNF

[Rights and Permissions](#)

- ☐ **13. Reflections of thought: cognitive facial expressions in the human interface**
King, W.J.;

[Robot and Human Communication, 1996., 5th IEEE International Workshop on](#)
11-14 Nov. 1996 Page(s):195 - 200

Digital Object Identifier 10.1109/ROMAN.1996.568815

[AbstractPlus](#) | Full Text: [PDF](#)(1976 KB) IEEE CNF

[Rights and Permissions](#)

- ☐ **14. Computer graphics for expressing robot-artificial emotions**

Hara, F.; Kobayashi, H.;

[Robot and Human Communication, 1992. Proceedings., IEEE International W](#)
1-3 Sept. 1992 Page(s):155 - 160

Digital Object Identifier 10.1109/ROMAN.1992.253933

[AbstractPlus](#) | Full Text: [PDF](#)(852 KB) IEEE CNF

[Rights and Permissions](#)

- ☐ **15. Artificial emotion model for human-machine communication by using harmony theory**
Mogi, S.; Hara, F.;

[Robot and Human Communication, 1992. Proceedings., IEEE International W](#)
1-3 Sept. 1992 Page(s):149 - 154

Digital Object Identifier 10.1109/ROMAN.1992.253932

[AbstractPlus](#) | Full Text: [PDF](#)(516 KB) IEEE CNF

[Rights and Permissions](#)

- ☐ **16. A computational model of artificial emotion by using harmony theory and algorithm**

Hara, F.; Mogi, S.;

[Robot and Human Communication, 1993. Proceedings., 2nd IEEE Internation](#)
3-5 Nov. 1993 Page(s):414 - 419

Digital Object Identifier 10.1109/ROMAN.1993.367682

[AbstractPlus](#) | Full Text: [PDF](#)(456 KB) IEEE CNF

[Rights and Permissions](#)

RESULT LIST

3 results found in the Worldwide database for:
emotion in the title AND **icon and display** in the title or abstract
(Results are sorted by date of upload in database)

1 METHOD FOR INPUTTING EMOTION ICON OF MOBILE COMMUNICATION TERMINAL

Inventor: HYUN SEUNG TAEK (KR)

Applicant: SAMSUNG ELECTRONICS CO LTD (KR)

EC: H04M1/247; H04M1/725F1G; (+1)

IPC: **H04M1/247; H04M1/725; H04M1/247** (+2)

Publication info: **KR20020048136** - 2002-06-22

2 EMOTION INFORMATION COMMUNICATION METHOD IN MOBILE PHONE

Inventor: LEE GYEONG HUN (KR)

Applicant: SAMSUNG ELECTRONICS CO LTD (KR)

EC:

IPC: **H04B1/40; H04B1/40**; (IPC1-7): H04B1/40

Publication info: **KR20020027954** - 2002-04-15

3 A system for communicating user emotion

Inventor: SMITH JAMES DAVID (GB)

Applicant: SIEMENS PLC (GB)

EC: G06F3/01G; G06F3/038; (+1)

IPC: **G06F13/00; G06F3/00; G06F3/033** (+3)

Publication info: **GB2422454** - 2006-07-26

Data supplied from the **esp@cenet** database - Worldwide

RESULT LIST

5 results found in the Worldwide database for:
emotion in the title AND **conditions** in the title or abstract
(Results are sorted by date of upload in database)

1 Emotion detection device & method for use in distributed systems

Inventor: BENNETT IAN M (US)

Applicant:

EC: G10L15/28D; G10L17/00C

IPC: **G10L15/14; G10L15/00**

Publication info: **US2006122834** - 2006-06-08

2 ROBUST AND LOW COST OPTICAL SYSTEM FOR SENSING STRESS, EMOTION AND DECEPTION IN HUMAN SUBJECTS

Inventor: RICE ROBERT R (US); DUNBRIDGE BARRY (US)

Applicant: NORTHROP GRUMMAN CORP (US); RICE ROBERT R (US); (+1)

EC: G06K9/00G; A61B5/16; (+1)

IPC: **A61B5/16; G06K9/00; G06T7/20** (+4)

Publication info: **WO2005043453** - 2005-05-12

3 DEVICE AND METHOD FOR RETRIEVAL REPRODUCTION OF IMAGING INFORMATION, DEVICE AND METHOD FOR RETRIEVAL REPRODUCTION OF CONTENTS AND DEVICE AND METHOD FOR EMOTION RETRIEVAL

Inventor: SASA SATORU; KITSUKAWA CHISATO; (+1) Applicant: SONY CORP

EC:

IPC: **G06T1/00; G06T1/00**; (IPC1-7): G06T1/00

Publication info: **JP2005063163** - 2005-03-10

4 METHOD FOR ANTIDEPRESSIVE IMPACT UPON HUMAN EMOTION-AFFECTIVE SPHERE AND REHABILITATION METHOD IN PATIENTS WITH ADDICTION SYNDROME OF PSYCHOACTIVE SUBSTANCES AND PATIENTS WITH EMOTION-AFFECTIVE DISORDERS

Inventor: MARSHAK JA I; VORONENKO P A

Applicant: MARSHAK JAKOV IMMANUEHLEVICH; VORONENKO PAVEL ALEKSANDROVICH

EC:

IPC: **A23L1/29; A61H1/00; A61M21/00** (+6)

Publication info: **RU2203015** - 2003-04-27

5 Direct-viewing meter of human intelligence, emotion and physical power conditions on the same day

Inventor: HU YING (CN); ZHOU JIANRU (CN)

Applicant: HU YING (CN)

EC:

IPC: **G01D21/00; G01D21/00**; (IPC1-7): G01D21/00

Publication info: **CN2510829Y** - 2002-09-11

Data supplied from the **esp@cenet** database - Worldwide

RESULT LIST

3 results found in the Worldwide database for:

emotion in the title AND **icon and display** in the title or abstract

(Results are sorted by date of upload in database)

1 METHOD FOR INPUTTING EMOTION ICON OF MOBILE COMMUNICATION TERMINAL

Inventor: HYUN SEUNG TAEK (KR)

Applicant: SAMSUNG ELECTRONICS CO LTD (KR)

EC: H04M1/247; H04M1/725F1G; (+1)

IPC: **H04M1/247; H04M1/725; H04M1/247** (+2)

Publication info: **KR20020048136** - 2002-06-22

2 EMOTION INFORMATION COMMUNICATION METHOD IN MOBILE PHONE

Inventor: LEE GYEONG HUN (KR)

Applicant: SAMSUNG ELECTRONICS CO LTD (KR)

EC:

IPC: **H04B1/40; H04B1/40**; (IPC1-7): H04B1/40

Publication info: **KR20020027954** - 2002-04-15

3 A system for communicating user emotion

Inventor: SMITH JAMES DAVID (GB)

Applicant: SIEMENS PLC (GB)

EC: G06F3/01G; G06F3/038; (+1)

IPC: **G06F13/00; G06F3/00; G06F3/033** (+3)

Publication info: **GB2422454** - 2006-07-26

Data supplied from the **esp@cenet** database - Worldwide

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

facemail

Search

[Advanced Search](#)
[Preferences](#)

WebResults 1 - 10 of about 9,930 for **facemail**. (0.18 seconds)**LifeF/X Redirection**You will be redirected in 3 seconds to <http://www.lifefxtechnologies.com>.[www.lifefx.com/](#) - 1k - [Cached](#) - [Similar pages](#)**Putting a human face on the Internet.**

Putting a human face on the Internet. Our fully animated life-like talking Stand-Ins will change, forever, the way you and your client's communicate on ...

[www.lifefx.com/indexdl.html](#) - 9k - [Cached](#) - [Similar pages](#)**Facemail Gives New Meaning to E-Mail Expression, Technology ...**You can send **Facemail** directly from the official "Face of the Internet" website or by downloading LifeFX's software onto your computer. ...[www.indoindians.com/facemail.htm](#) - 14k - [Cached](#) - [Similar pages](#)**facemail****facemail** is a Python/Tkinter based Mail User Agent for managing mail boxes. ... **facemail** requires the Python Imaging Library (PIL) to display the faces, ...[www.cs.usyd.edu.au/~piers/python/facemail.html](#) - 12k - [Cached](#) - [Similar pages](#)**WinSite: FaceMail - Secure Communication****FaceMail** is the standalone version of IdentALinks Enterprise Secure Communication ... With **FaceMail** one can encrypt and digitally sign all emails including ...[www.winsite.com/bin/Info?9000000036148](#) - 17k - [Cached](#) - [Similar pages](#)**LifeFX Facemail**LifeFX™ **Facemail** allows you to type in text and familiar emoticons such as ... With**Facemail** you can send and receive e-mails that speak and "perform" ...[www.temple.edu/ispr/examples/ex00_12_15.html](#) - 5k - [Cached](#) - [Similar pages](#)**CNN.com - Sci-Tech - 'Facemail' teams with Kodak to humanize e ...**

A wink, a nod, a grimace -- all can turn the meaning of a conversation on its head. And all could add a lot to an e-mail.

[www.michaelwmorris.com/R381/documents/Session_07/'Facemail'%20teams%20with%20Kodak%20to%20humaniz...](#) - 51k - [Cached](#) - [Similar pages](#)**Word Spy - facemail**"Moreover, dot-coms — unlike bankers — do not spend their day engaged in face-to-face human contact — known in their culture as 'f2f' or '**facemail**.'" ...[www.wordspy.com/words/facemail.asp](#) - 20k - [Cached](#) - [Similar pages](#)**[PDF] Facemail: Showing Faces of Recipients to Prevent Misdirected Email**File Format: PDF/Adobe Acrobat - [View as HTML](#)**Facemail** integrates the individual's faces directly into the ... To prevent these errors,**Facemail's** list display tries to answer three questions: (1) Who, ...[groups.csail.mit.edu/uid/projects/facemail/facemail.pdf](#) - [Similar pages](#)**FACEMAIL, FACE OFF?****FACEMAIL, FACE OFF?** saundrakaerubel.com saundrakae at saundrakaerubel.com ...Using the new LifeFx **Facemail** application (<http://www.facemail.com>), ...[lists.ibiblio.org/pipermail/internetworkers/2001-January/002398.html](#) - 3k -

[Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google